

EXISTING TREE AT PROPERTY LINE

NOTES:

1. UNLESS THE EXISTING CONNECTION IS P.V.C. (OR CONCRETE OF RECENT ORIGIN IN APPARENT GOOD CONDITION), THE SANITARY AND STORM CONNECTION WILL BE REPLACED TO THE PROPERTY LINE AND A CLEANOUT PROVIDED. IF THE REMAINDER OF THE CONNECTION IS DIRTY OR HEAVILY ROOTED, IN DANGER OF COLLAPSE, OR OTHERWISE DEEMED TO BE IN NEED OF IMMINENT REPLACEMENT, THE HOMEOWNER MUST BE NOTIFIED.
2. WHERE EXISTING TREE OR ROOTS NEAR PROPERTY LINE INHIBIT INSTALLATION OF PRIVATE DRAIN CONNECTION CLEANOUT AT PROPERTY LINE, THE CLEANOUT SHALL BE INSTALLED ±2.0m FROM TRUNK OF TREE.

NOT TO SCALE

CITY OF WINDSOR ENGINEERING DEPARTMENT	
GUIDELINES FOR REPLACEMENT OF EXISTING CONNECTIONS	
DR'N BY: SJ, RC, AZ	DATE: DEC, 1996
REV. DATE: MAR, 2024	CH'KD BY(ENG): PM, JH
CH'KD BY(GEO/OPS): PJU, AL	PASSED BY: FM
Mark Winterton Digitally signed by Mark Winterton Date: 2024.03.27 11:05:45 -04'00' CITY ENGINEER	AS–524