


**PROPOSED RESIDENTIAL DRIVEWAY WITH SINGLE CAR GARAGE OR CARPORT**




**PROPOSED RESIDENTIAL DRIVEWAY WITH GARAGE ( TWO CARS OR GREATER )**

**NOTES:**

1. NO RADIUS OR RAISED CURBS ON CITY RIGHT OF WAY. STRAIGHT FLARES ONLY.
2. NOTWITHSTANDING THIS DRAWING CURB CUT WIDTH SHALL NOT EXCEED 50% OF FRONTAGE WIDTH.

 DRIVEWAY PORTION ON PRIVATE PROPERTY IS TO COMPLY WITH AND BE APPROVED BY THE BUILDING DEPARTMENT AT THE CITY OF WINDSOR.

 DRIVEWAY MUST HAVE A MINIMUM SEPARATION OF 0.9m (3') OF ANY VERTICAL OBSTRUCTION. i.e. HYDRO POLE, FIRE HYDRANT, CABLE BOX, TREE, ETC.

<b>CITY OF WINDSOR</b>	
ENGINEERING DEPARTMENT	
<b>Maximum Curb Cut For Residential Driveways with a Garage</b>	
DR'N BY: AJC, JL	DATE: JANUARY, 2011
REVISION: NOV, 2013	CH'KD BY: P. UBENE
CH'KD BY: SS	PASSED BY:
 CITY ENGINEER	<b>AS-542-A</b>